

SAFETY DATA SHEET

RUBBA FLEX P 46-2P

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

▼ *Trade name:* RUBBA FLEX P 46-2P

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the Adhesive

substance or mixture: Restricted to professional users.

Use descriptors (UK REACH):

Sectors of use	Description
LCS "IS"	Industrial uses: Uses of substances as such or in preparations at industrial sites
Product category	Description
PC 1	Adhesives, Sealants
Process category	Description
PROC 0	Other

Uses advised against: None known.

1.3. Details of the supplier of the safety data sheet

Company and address: The Rubber Company

TRC House, Unit 21 Romsey Industrial Estate, Greatbridge

Road, Romsey

SO51 0HR Hampshire United Kingdom +44 (0) 1794 513 184

www.therubbercompany.com

E-mail: sales@therubbercompany.com

Revision: 03/10/2025

SDS Version: 2.0

Date of previous version: 03/10/2025 (1.0)

1.4. Emergency telephone number

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information

Service (NPIS) (24 hour service)

General public:

England - Dial 111 to reach NHS 111 (24 hour service) Scotland - Dial 111 to reach NHS 24 (24 hour service)

RUBBA FLEX P 46-2P Page 1 of 20



Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service) See section 4 "First aid measures".

SECTION 2: HAZARDS IDENTIFICATION

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.1. Classification of the substance or mixture

Skin Irrit. 2; H315, Causes skin irritation.

Skin Sens. 1; H317, May cause an allergic skin reaction.

Eye Irrit. 2; H319, Causes serious eye irritation.

Resp. Sens. 1; H334, May cause allergy or asthma symptoms or breathing difficulties if inhaled.

STOT SE 3; H335, May cause respiratory irritation.

Carc. 2; H351, Suspected of causing cancer.

STOT RE 2; H373, May cause damage to organs through prolonged or repeated exposure.

2.2. Label elements

Hazard pictogram(s):



Signal word: Danger

Hazard statement(s): Causes skin irritation. (H315)

May cause an allergic skin reaction. (H317)

Causes serious eye irritation. (H319)

May cause allergy or asthma symptoms or breathing

difficulties if inhaled. (H334)

May cause respiratory irritation. (H335) Suspected of causing cancer. (H351)

May cause damage to organs through prolonged or

repeated exposure. (H373)

Precautionary statement(s):

General: Not applicable.

Prevention: Do not breathe vapour/mist. (P260)

[In case of inadequate ventilation] wear respiratory

protection. (P284)

Response: IF INHALED: Remove person to fresh air and keep

comfortable for breathing. (P304+P340)

Get medical advice/attention if you feel unwell. (P314)

Store in a well-ventilated place. Keep container tightly

closed. (P403+P233)

Disposal: Dispose of contents/container in accordance with local

regulation.

(P501)

RUBBA FLEX P 46-2P Page 2 of 20



Hazardous substances: 4,4'-Methylenediphenyl diisocyanate, oligomers

Isocyanic acid, polymethylenepolyphenylene ester

Additional labelling: EUH204, Contains isocyanates. May produce an allergic

reaction.

As from 24 August 2023 adequate training is required

before industrial or professional use.

2.3. Other hazards

Additional warnings: This mixture/product does not contain any substances

known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria

set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
4,4'-Methylenediphenyl diisocyanate, oligomers	CAS No.: 25686-28-6 EC No.: 500-040-3 UK-REACH: Index No.:	15-25%	EUH204 Skin Irrit. 2, H315 (SCL: 5.00 %) Skin Sens. 1, H317 Eye Irrit. 2, H319 (SCL: 5.00 %) Acute Tox. 4, H332 Resp. Sens. 1, H334 (SCL: 0.10 %) STOT SE 3, H335 (SCL: 5.00 %) Carc. 2, H351 STOT RE 2, H373	
Isocyanic acid, polymethylenepolypheny lene ester	CAS No.: 9016-87-9 EC No.: 618-498-9 UK-REACH: Index No.:	1-10%	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Acute Tox. 4, H332 Resp. Sens. 1, H334 STOT SE 3, H335 Carc. 2, H351 STOT RE 2, H373	[3]

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[3] According to UK REACH, Annex XVII, the substance is subject to restrictions.

RUBBA FLEX P 46-2P Page 3 of 20



SECTION 4: FIRST AID MEASURES

4.1. **Description of first aid measures**

General information: In the case of accident: Contact a doctor or casualty

> department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an

unconscious person water or other drink.

Inhalation: Upon breathing difficulties or irritation of the respiratory

> tract: Bring the injured person into fresh air. Make sure the injured person is continuously monitored. Prevent shock by keeping the injured person warm and calm. If breathing ceases, give mouth-to-mouth resuscitation. If unconscious, roll the injured person into recovery

position. Call an ambulance.

Skin contact: Remove contaminated clothing and shoes immediately.

> Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or

thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact: If in eyes: Flush eyes immediately with plenty of water or

> isotonic water (20-30 °C) for at least 5 minutes and continue until irritation stops. Remove contact lenses. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing

during transport.

Ingestion: If the person is conscious, rinse the mouth with water

and stay with the person. Never give the person anything

to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid

inhalation of or choking on vomited material.

Burns: Not applicable.

Most important symptoms and effects, both acute and delayed 4.2.

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact. Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

RUBBA FLFX P 46-2P Page 4 of 20



Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Ensure adequate ventilation, especially in confined areas.

Avoid inhalation of vapours from spilled material.

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

RUBBA FLEX P 46-2P Page 5 of 20



Avoid direct contact with the product.

Avoid contact during pregnancy and while nursing.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material: Keep only in original packaging.

Storage conditions: Dry, cool and well ventilated

5 - 30°C

Incompatible materials: Water

Bases

Strong acids

Strong oxidizing agents

Amines

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

4,4'-Methylenediphenyl diisocyanate, oligomers Long term exposure limit (8 hours) (mg/m³): 0.02 Short term exposure limit (15 minutes) (mg/m³): 0.07

1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich Long term exposure limit (8 hours) (mg/m³): 5

Isocyanic acid, polymethylenepolyphenylene ester Long term exposure limit (8 hours) (mg/m³): 0.02 Short term exposure limit (15 minutes) (mg/m³): 0.07

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.

EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	750 µg/kg bw/day
Long term – Systemic effects - Workers	Dermal	133.3 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	750 μg/m³

RUBBA FLEX P 46-2P Page 6 of 20



Long term – Systemic effects - Workers	Inhalation	18.8 mg/m³
Long term – Systemic effects - General population	Oral	750 µg/kg bw/day

4,4'-Methylenediphenyl diisocyanate, oligomers

Route of exposure:	DNEL:
Dermal	17.2 mg/cm ²
Dermal	28.7 mg/cm ²
Dermal	25 mg/kg
Dermal	50 mg/kg
Inhalation	25 μg/m³
Inhalation	50 μg/m³
Inhalation	0.025 mg/m ³
Inhalation	0.05 mg/m ³
Inhalation	50 μg/m³
Inhalation	100 μg/m³
Inhalation	0.05 mg/m ³
Inhalation	0.1 mg/kg
Oral	20 mg/kg
	Dermal Dermal Dermal Dermal Inhalation Inhalation Inhalation Inhalation Inhalation Inhalation Inhalation Inhalation Inhalation

PNEC

1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich

Route of exposure:	Duration of Exposure:	PNEC:
Soil		30 mg/kg

4,4'-Methylenediphenyl diisocyanate, oligomers

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		1 mg/L
Freshwater sediment		Exposure of sediment is not expected
Intermittent release (freshwater)		10 mg/L
Marine water		0.1 mg/L
Marine water sediment		Exposure of sediment is not expected
Sewage treatment plant		1 mg/L
Soil		1 mg/kg

8.2. **Exposure controls**

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations: Smoking, drinking and consumption of food is not allowed in the work area.

RUBBA FLEX P 46-2P Page 7 of 20



Exposure scenarios: There are no exposure scenarios implemented for this

product.

Exposure limits: Professional users are subjected to the legally set

maximum concentrations for occupational exposure. See

occupational hygiene limit values above.

Appropriate technical measures: Do not recirculate outlet air that contain the substances.

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and

emergency showers are clearly marked.

Apply standard precautions during use of the product.

Avoid inhalation of vapours.

Hygiene measures: Take off contaminated clothing and wash it before reuse.

Measures to avoid environmental

exposure:

Keep damming materials near the workplace. If possible,

collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally: Persons already sensitised to diisocyanates may develop

allergic reactions when using this product. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. This product should not be used under

conditions of poor ventilation unless a protective mask with an appropriate gas filter (e.g. type A1 according to

standard EN 14387) is used.

Use only UKCA marked protective equipment.

Respiratory Equipment:

Work situation	Туре	Class	Colour	Standards	
	Combination filter A2P2	Class 2	Brown/White	EN14387	(B.)

Skin protection:

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn.	-	-	R

Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	0.4	> 480	EN374-2, EN16523-1, EN388	

RUBBA FLEX P 46-2P Page 8 of 20



Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Butyl	0,7		EN374-2, EN16523-1, EN388, EN421	

Eye protection:

Туре	Standards	
Safety glasses with side shields.	EN166	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour:

Amber

Odour / Odour threshold: Characteristic

pH: 7 Density (g/cm³):

Relative density: 1.1 (20 °C)

Kinematic viscosity: 30 mPa.s (25 °C)

Particle characteristics: Not applicable - product is a liquid

Phase changes

Melting point/Freezing point (°C): No data available

Softening point/range (°C): Does not apply to liquids.

Boiling point (°C): No data available No data available Vapour pressure: Relative vapour density: No data available Decomposition temperature (°C): No data available

Data on fire and explosion hazards

Flash point (°C): >93

Flammability (°C): No data available *Auto-ignition temperature (°C):* No data available Lower and upper explosion limit (% No data available

v/v):

Solubility

Insoluble Solubility in water:

RUBBA FLEX P 46-2P Page 9 of 20

n-octanol/water coefficient

No data available

(LogKow):

Solubility in fat (q/L): No data available

9.2. Other information

Evaporation rate (n-butylacetate = No data available

100):

Oxidizing properties: No data available
Other physical and chemical No data available.

parameters:

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Extremes of temperature

10.5. Incompatible materials

Water

Strong oxidizing agents

Strong acids

Amines

Bases

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

Acute toxicity

Product/substance 4,4'-Methylenediphenyl diisocyanate, oligomers

Test method: OECD 425
Species: Rat
Route of exposure: Oral
Test: LD50

Result: >5000 mg/kg

RUBBA FLEX P 46-2P Page 10 of 20



Product/substance 4,4'-Methylenediphenyl diisocyanate, oligomers

Species: Rat

Route of exposure: Inhalation Test: LC50 (4 hours)

Result: 0.31

Product/substance 4,4'-Methylenediphenyl diisocyanate, oligomers

Species: Rat
Route of exposure: Dermal
Result: >9400 mg/kg

Product/substance 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich

Test method: OECD 403
Species: Rat
Pouts of exposure: Inhalation

Route of exposure: Inhalation
Test: LC50 (4 hours)
Result: >4.4 mg/L

Product/substance 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich

Test method: OECD 401
Species: Rat
Route of exposure: Oral
Test: LD50

Result: >10000 mg/kg

Product/substance 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich

Test method: OECD 402
Species: Rat
Route of exposure: Dermal
Test: LC50

Result: >3160 mg/kg

Product/substance Isocyanic acid, polymethylenepolyphenylene ester

Species: Rat
Route of exposure: Inhalation
Test: LC50 (4 hours)
Result: 0.493 mg/L

Other information:

The test result is not adequate for the purpose of classification and labelling of the product. Based on expert judgement and available data, a modified classification and labeling for acute inhalation toxicity is justified. The generation of a respirable aerosol must be prevented!

Based on available data for the mixture, the classification criteria are not met.

Skin corrosion/irritation

Product/substance 4,4'-Methylenediphenyl diisocyanate, oligomers

Test method: OECD 404 Species: Rabbit

Result: Adverse effect observed (Irritating)

Product/substance 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich

RUBBA FLEX P 46-2P Page 11 of 20



Test method:

Result: No adverse effect observed (Not irritating)

Causes skin irritation.

Serious eye damage/irritation

Product/substance 4,4'-Methylenediphenyl diisocyanate, oligomers

OECD 405 Test method: Species: Rabbit

Result: No adverse effect observed (Not irritating)

Other information:

The European Union (EU) has classified this substance with 'Irritating to eyes'.(R36).

Product/substance 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich

Test method: **OFCD 405**

Adverse effect observed (Slightly irritating) Result:

Causes serious eye irritation.

Respiratory sensitisation

Product/substance 4,4'-Methylenediphenyl diisocyanate, oligomers

Test method: **OECD 406** Guinea pig Species:

Result: Adverse effect observed (sensitising)

Product/substance 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich

No adverse effect observed (not sensitising) Result:

Other information:

The test result is not adequate for the purpose of classification and labelling of the product. Based on expert judgement and available data, a modified classification and labeling for acute inhalation toxicity is justified. The generation of a respirable aerosol must be prevented!

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin sensitisation

Product/substance 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich

Test method: OFCD 406

Result: No adverse effect observed (not sensitising)

May cause an allergic skin reaction.

Germ cell mutagenicity

Product/substance 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich

OECD 471 Test method:

No adverse effect observed Conclusion:

Based on available data for the mixture, the classification criteria are not met.

Carcinogenicity

Product/substance 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich

Test method: OFCD 451

No adverse effect observed Conclusion:

Suspected of causing cancer.

Reproductive toxicity

RUBBA FLEX P 46-2P Page 12 of 20



Product/substance 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich

Test method: **OECD 414**

Conclusion: No adverse effect observed

Based on available data for the mixture, the classification criteria are not met.

STOT-single exposure

Product/substance 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich

Conclusion: No adverse effect observed

Other information:

Based on the available information there is no specific target organ toxicity to be expected.

May cause respiratory irritation.

STOT-repeated exposure

Product/substance 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich

Test method: **OECD 410**

Conclusion: No adverse effect observed

Other information:

Based on the available information there is no specific target organ toxicity to be expected.

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Product/substance 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich

Aspiration hazard not applicable Conclusion:

Other information:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Nominal concentration.

Based on available data for the mixture, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Carcinogenic effects: This product contains substances considered or proven to be carcinogenic. The carcinogenic effects may be triggered subsequent to exposure through inhalation, skin contact or ingestion.

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

Endocrine disrupting properties

Product/substance 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich

Conclusion: No adverse effect observed

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

Isocyanic acid, polymethylenepolyphenylene ester has been classified by IARC as a group 3 carcinogen.

SECTION 12: ECOLOGICAL INFORMATION

RUBBA FLFX P 46-2P Page 13 of 20





12.1. Toxicity

Product/substance 4,4'-Methylenediphenyl diisocyanate, oligomers

Test method: OECD 203

Species: Fish, Brachydanio rerio

Duration: 96 hours
Test: LC50
Result: >1000 mg/L

Other information:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Nominal concentration.

Product/substance 4,4'-Methylenediphenyl diisocyanate, oligomers

Test method: OECD 202

Species: Daphnia, Daphnia magna

Duration: 24 hours
Test: EC50
Result: >1000 mg/L

Other information:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Nominal concentration.

Product/substance 4,4'-Methylenediphenyl diisocyanate, oligomers

Test method: OECD 201

Species: Algae, Desmodesmus subspicatus

Duration: 72 hours
Test: EC50
Result: >1640 mg/L

Other information:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Nominal concentration.

Product/substance 4,4'-Methylenediphenyl diisocyanate, oligomers

Test method: OECD 209 Species: Bacteria

Compartment: Activated Sludge Plant

Duration: 3 hours
Test: EC50
Result: >100 mg/L

Other information:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Nominal concentration.

Product/substance 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich

Other information:

Not expected to be harmful to aquatic organisms. Not expected to demonstrate chronic toxicity to aquatic organisms.

Product/substance 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich

Species: Daphnia, Daphnia magna

Compartment: Water Duration: 48 hours

RUBBA FLEX P 46-2P Page 14 of 20



Test: EC0 Result:

0.06 mg/L

Product/substance

1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich

Species:

Oncorhynchus mykiss

Compartment: Water Duration: 96 hours Test: LCLo Result: 0.16 mg/L

Product/substance

1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich

Species:

Pseudokirchneriella subcapitata

Compartment: Water Duration: 5 days Test: EC0 Result: 1.8 mg/L

Product/substance

1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich

Species:

Pseudokirchneriella subcapitata

Compartment: Water Duration: 5 days Test: NOEC Result: 1.8 mg/L

Product/substance

1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich

Species:

Daphnia, Daphnia magna

Compartment: Water Duration: 21 days Test: NOEC Result: 0.0036 mg/L

Product/substance

1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich

Species:

Oryzias latipes

Compartment: Water Duration: 12 months Test: NOEC Result: $18.5 \mu g/g$

Product/substance

Isocyanic acid, polymethylenepolyphenylene ester

Species: Fish Duration: 96 hours Test: LCLo Result: >1000 mg/L

Product/substance

Isocyanic acid, polymethylenepolyphenylene ester

Species:

Daphnia, Daphnia magna

Duration: 24 hours Test: EC0

Result: >500 mg/L

RUBBA FLEX P 46-2P Page 15 of 20



Product/substance Isocyanic acid, polymethylenepolyphenylene ester

Test method: **OECD 201**

Species: Algae, Scenedesmus subspicatus

Duration: 72 hours Test: FC0 Result: 1640 mg/L

Based on available data for the mixture, the classification criteria are not met.

12.2. Persistence and degradability

1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich Product/substance

Conclusion: Readily biodegradable

12.3. Bioaccumulative potential

4,4'-Methylenediphenyl diisocyanate, oligomers Product/substance

Duration: 28 days BCF. 92 - 200

Conclusion: Bioaccumulation is not expected

Test: OFCD 305

Other information:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Nominal concentration.

1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich Product/substance

Conclusion: Potential for bioaccumulation is low

Isocyanic acid, polymethylenepolyphenylene ester Product/substance

Bioaccumulation is not expected Conclusion:

12.4. Mobility in soil

1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich LogKoc = 5.9, Low mobility potential.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

Product/substance 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich

Conclusion: No adverse effect observed

This mixture/product does not contain any substances considered to have endocrinedisrupting properties in relation to the environment.

12.7. Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product is covered by the regulations on hazardous waste. (*)

RUBBA FLEX P 46-2P Page 16 of 20



HP 4 - Irritant (skin irritation and eye damage)

HP 5 - Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

HP 6 - Acute toxicity

HP 7 – Carcinogenic

HP 13 – Sensitising

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

08 04 09* Waste adhesives and sealants containing organic solvents or other dangerous substances

Specific labelling

Contaminated packing

EWC code: 08 04 09*

Waste adhesives and sealants containing organic solvents or

other dangerous substances

SECTION 14: TRANSPORT INFORMATION

		14.2 UN proper shipping name	14.3 Hazard class(es)		Env**	Other informat ion:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	_	-	-

^{*} Packing group

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: Restricted to professional users.

People under the age of 18 shall not be exposed to this

product.

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical

RUBBA FLEX P 46-2P Page 17 of 20

^{**} Environmental hazards

precautions or design of the workplace needed to

eliminate exposure, must be considered.

Demands for specific education: Use of this product requires dedicated training in work

with polyurethane and epoxy products.

Control of Major Accident Hazards

(COMAH) - Categories / dangerous

Not applicable.

substances:

UK-REACH, Annex XVII: Isocyanic acid, polymethylenepolyphenylene ester is

subject to restrictions, UK-REACH annex XVII (entry 74).

Additional information: Not applicable.

Sources: The Management of Health and Safety at Work

Regulations 1999.

The Health and Safety at Work etc. Act 1974 Regulations

2013.

Regulation (EU) No 1357/2014 of 18 December 2014 on

waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as

retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the

Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

Nο

SECTION 16: OTHER INFORMATION

Full text of H-phrases as mentioned in section 3

EUH204, Contains isocyanates. May produce an allergic reaction.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H332. Harmful if inhaled.

H334, May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335, May cause respiratory irritation.

H351, Suspected of causing cancer.

H373, May cause damage to organs through prolonged or repeated exposure.

The full text of identified uses as mentioned in section 1

LCS "IS" = Industrial uses: Uses of substances as such or in preparations at industrial sites

PROC 0 = Other

PC 1 = Adhesives, Sealants

Abbreviations and acronyms

RUBBA FLEX P 46-2P Page 18 of 20



ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

GWP = Global warming potential

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

RUBBA FLEX P 46-2P Page 19 of 20





The safety data sheet is validated by

Gary De-Maine

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en

RUBBA FLEX P 46-2P Page 20 of 20