The Rubber Company
Manufacturers · Designers · Distributors

CloseGrip Non-Slip Matting

Product Code: RC04122

Key Features

- Certified slip resistance: DIN 51130 R11, V10
- Tested to ASTM E303 dry/wet slip standards
- Close mesh design prevents small parts falling through
- Wheel-friendly surface for trolleys and carts
- Excellent drainage for liquids, rain and spills
- Resistant to oils, chemicals and acids
- Heavy-duty industrial construction
- Cut-to-fit installation – no adhesive required

Attributes

Anti-Slip | Durable | Low Maintenance



Technical Data

Property	Value
Compound	Polyvinyl chloride
Acoustic Insulation	Excellent sound absorption properties
Chemical Resistance	Resistant to most acids, alkalines and oils
Fire Resistance	EN13501-1 : 2007 and classified - Cfl - S1
Slip Resistance	DIN 51130: R11, V10
Working Temperature Range	-23° C to +60° C
UV Resistance	Resistant to PVC degradation
Reversion	Thermoplastic shrinkage can result in size reductions up to 2 %
Hygiene	Naturally resistant to bacteria growth
Environment	100 % recyclable

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

E sales@therubbercompany.com
W www.therubbercompany.com
T +44 (0) 1794 513 184
The Rubber Company Limited - Registered in England and Wales
Company Number - 08350831 | VAT Number - GB 156 8355 80

The Rubber Company

Manufacturers · Designers · Distributors

Experts in **Rubber**

Standard Sizes

Stock Size	Thickness	Weight
10m x 60cm	14mm	10.5 kg/m²
10m x 91cm	14mm	10.5 kg/m²
10m x 1.22m	14mm	10.5 kg/m²

Colour Range



Black



Green



Red

Matting Edging Strips



Product Code: RCAP85X14P
Size: 60mm x 14mm

Our PVC ramped edging is supplied in rolls of 10.1m, with cold welding paste for secure installation in all conditions.

Available in: Black, Dark Grey, Dark Brown, Holly Green, Oxford Blue and Yellow



Product Code: RCAP145X14P
Size: 100mm x 14mm

Our PVC ramped edging is supplied in rolls of 10.1m, with cold welding paste for secure installation in all conditions.

Available in: Black, Dark Grey and Yellow

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

E sales@therubbercompany.com
W www.therubbercompany.com
T +44 (0) 1794 513 184

The Rubber Company Limited - Registered in England and Wales
Company Number - 08350831 | VAT Number - GB 156 8355 80

Installation

CloseGrip PVC matting in supplied in 10m rolls, so installation is quick and simple.

- Loose lay, no permanent fixtures required
- Simple to cut to size
- Holes can be cut to accommodate pipes
- Contours to the floor surface
- Add edging strips for easy wheeled access

Cleaning & Maintenance

Keeping CloseGrip PVC matting clean is a quick and easy job.

- Dirt and debris will naturally fall away from the surface of the matting
- Simply lift or roll matting to clean
- Clean area beneath the matting with a brush or a high pressure hose

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

E sales@therubbercompany.com
W www.therubbercompany.com
T +44 (0) 1794 513 184

The Rubber Company Limited - Registered in England and Wales
Company Number - 08350831 | VAT Number - GB 156 8355 80