

Barefoot Anti-Slip Pool Matting

Product Code: RC04123

Key Features

- Excellent barefoot comfort
- Embossed surface for strong grip underfoot when both dry and wet
- Slip resistant certified DIN 51097 Classification C
- Effective large scale water drainage
- Anti-bacterial/Anti-fungal additives for permanent hygiene
- Loose lay yet stable underfoot
- Easy to cut and simple to install

Attributes




Anti-Slip



Durable



Low Maintenance



Technical Data


Property	Value
Compound	Polyvinyl chloride
Acoustic Insulation	Excellent sound absorption properties
Chemical Resistance	Resistant to most acids, alkalines and oils
Fire Resistance	EN ISO 13501 - 1 : 2007 - CfI - S1
Slip Resistance	DIN 51097: Classification C, ASTM F 1677 - Dry/Wet: 0.9/0.7
UV Resistance	Resistant to PVC degradation
Reversion	Thermoplastic shrinkage can result in size reductions up to 2 %
Hygiene	Naturally resistant to bacteria growth
Environment	100 % recyclable
Temperature Range	-23° C to +60° C

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

Standard Size

Stock Size	Thickness	Weight
10m x 0.5m	10.5mm	5.5 kg/m ²
10m x 1m	10.5mm	5.5 kg/m ²
10m x 1.22m	10.5mm	5.5 kg/m ²

Colour Options




Ocean Blue




Oxford Blue




Charcoal Grey



White




Forest Green



Mulberry Red

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

Matting Edging Strips



Product Code: RCAP61X10P

Size: 46mm x 10mm

Our PVC ramped edging is supplied in rolls of 10.1m, with cold welding paste for secure installation in all conditions..

Available in: Black and Dark Grey

Installation

Barefoot Anti-Slip Pool matting is supplied in 10.1m rolls, so installation is quick and simple.

- Loose lay, no permanent fixtures required
- Simple to cut size
- Holes can be cut to accommodate pipes
- Contours to uneven surfaces
- Add edging strips for easy wheeled access

Cleaning & Maintenance

Keeping Barefoot Anti-Slip Pool matting clean is a quick and easy job.

- Dirt and debris will naturally fall away from the surface of the matting
- Simply lift or roll to clean
- Clean area beneath the matting with a brush or a high pressure hose

Approvals



The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.