

Cushion Mat Protection Matting

Product Code: RC04144

Key Features

- Air-filled tubular Construction
- Exception cushioning for delicate equipment
- Non-porous PVC impermeable to liquids and fluids
- Open grid design to allow for good drainage and fall through
- Flexible to contour to uneven surfaces
- Supplied in 10m rolls
- Can be cut to size
- Easy to install and maintain

Attributes



Lightweight



Flexible



Low Maintenance



Technical Data

Property	Value
Compound	Flexible polyvinyl chloride
Chemical Resistance	Resistant to most acids, alkalines and oils
Environment	100% recyclable
Hygiene	Made from non-porous PVC that's naturally resistant to bacteria growth.
Reversion	Thermoplastic shrinkage can result in size reductions up to 2%. This may be accelerated in hot environments.
UV Light	Resistant to PVC degradation.
Temperature Range	-23° C to +60° C

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

Standard Size

Stock Size	Thickness	Weight
10m x 0.6m	8mm	3.1 kg/m ²
10m x 0.91m	8mm	3.1 kg/m ²

Colour Options



Green



Beige



White



Mahogany

Installation

Cushion Mat's one-piece construction means installation is simple.

- Supplied in 10m rolls
- Easy to cut to size and shape
- Contours to uneven surfaces

Cleaning & Maintenance

Keeping Cushion Mat clean is a quick and easy job.

- Light to handle
- Simply lift or roll to clean
- No special cleaning tools required

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

Approvals



The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.