

## Oil Resistant Comfort Matting

Product Code: RC04181

### Key Features

- Heavy-duty anti-fatigue matting
- Bevelled edges and gripper backing for safety
- Excellent chemical, animal fats, oils, and petroleum resistance
- ESD rated, safe for use in static sensitive areas
- Anti-slip texture surface suitable for wet and dry areas
- Excellent anti-fatigue properties

### Attributes



Anti-Slip



Anti-Fatigue



Oil-Resistant



### Technical Data

Property	Test Method	Value
Compound	-	Nitrile surface
Hardness (Shore A)	-	65°
Tensile Strength	-	1600 PSI
Coefficient of Friction		
- Dry	-	92
- Wet	-	86
UV Resistance	-	Nitrile surface is UV resistant
Slip Resistance	ASTM C 1028-96	Slip resistance surface Level 3
Wear Resistance	-	Wear resistant surface to Level 3
Anti-Fatigue	-	Anti-fatigue protection to Level 3
Chemical Resistance	-	Chemical resistant
Cut to Size	-	Mats can be cut to bespoke sizes
Dry Area	-	Suitable for use in dry areas

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

## Technical Data Continued

Property	Test Method	Value
Heavy Areas	-	Suitable for use in heavy use areas
Oil and Greasy Areas	-	Suitable for use in oily and greasy areas
Welding Area	-	Suitable for use in welding areas
Wet Area	-	Suitable for use in wet areas
Flammability Test	DOC-FF-1-70	Pass
Static Control	AATCC Test Method 134-1996	Pass

## Standard Sizes

Size	Thickness	Weight
58cm x 85cm	12mm	4.9 kg
85cm x 150cm	12mm	11.4 kg

## Approvals



The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.